

WIRELESS NURSE CALL SYSTEM

Wireless Calling System

Wireless Direct Paging System

Wireless Nurse Call System


Wireless Guest Paging System

Wireless Truck Driver Paging System

Wireless Security System

SYSCALL Software

Repeater / Data Transceiver



WIRELESS NURSE CALL SYSTEM

PRODUCT DESCRIPTION

NURSE CALL BUTTON

MODEL SHS-100



SPECIFICATION

Dimension	Weight
W41 x L103 x H20mm	152g
Color	Battery
Gold, Blue	CR2032 - Coin Battery 3V
Frequency	Compatibility
FSK/433.42MHz	All SYSCALL Receivers

FEATURES



2Button (Call/Clear)



Low Battery Indicator



Cradle included

PULL CORD TRANSMITTER

MODEL SHS-200



SPECIFICATION

Dimension	Weight
W41 x L103 x H20mm	50g
Color	Battery
Blue	CR2032 - Coin Battery 3V
Frequency	Cord Length
FSK/433.42MHz	1.1m

FEATURES



Clear



Call

2 Button Function



Low Battery Indicator




Cradle included

WIRELESS NURSE CALL SYSTEM

PRODUCT DESCRIPTION

NECKLACE CALL BUTTON

MODEL SHS-400



SPECIFICATION

Dimension	Weight
W51.5 x L51.5 x H13.5mm	22g
Color	Battery
White	CR2025
Frequency	Compatibility
FSK/433.42MHz	All SYSCALL Receivers

FEATURES



Call & Clear
in 1 Button



2 Types Available



Indoor Use

SMART CALL BUTTON

MODEL ST-E1



SPECIFICATION

Dimension	Weight
W70 x L70 x H13mm	40g
Color	Battery
Orange, Red	CR2450 - Coin Battery 3V
Frequency	Compatibility
FSK/433.42MHz	All SYSCALL Receivers

FEATURES



Call & Clear
in 1 Button



Low Battery Notification



Long Life Battery

PRODUCT DESCRIPTION

SMART CORRIDOR LIGHT

MODEL SRL-300



SPECIFICATION

Frequency	Power Source
FSK/433.42MHz	DC 12V / 1A
Dimension	Weight
W68 x L125.5 x H50mm	115g
Color	Compatibility
Red, Blue, Green, White, Yellow, Sky blue, Purple	All SYSCALL Transmitters

FEATURES



Dome Shaped



Priority or Normal



5 Melodies Available

EMERGENCY LIGHT INDICATOR

MODEL SLL-400



SPECIFICATION

Frequency	Power Source
FSK/433.42MHz	DC12V/1A
Dimension	Weight
W82 x L155 x H79mm	340g
Color	Compatibility
Red, Blue, White	All SYSCALL Transmitters

FEATURES



2 types Light Effect



Volume Control
(Low - Mid - High)



2 ways Installation
(Lengthwise or widthwise)

NURSE CALL SOFTWARE



FEATURES

- Real-time monitoring system for hospital
- Able to distinguish Priority and Normal call
- Displays pop-up alert when Priority call is received
- Able to record what was patient's request and who is responded to a call
- One click to change the view type: Simple view or Log view
- Client mode: Mirroring the same log data from the Server PC

COMPATIBLE HARDWARE





2 button transmitter




SRT-8200_PC

APPLICATION



01 Doctor's Office



Doctor presses the button when patients exhibit violent behavior. It sends alert to security staff by watch pager and display monitor. And also any passerby can be notified the emergency through the corridor light next to the office's entrance.

02 Patient Room



Patients press the button for assistance in an emergency. Then, the bed number will be displayed through nurse's pager and display monitor. Corridor light and Nurse call software will support to provide quick and timely care as well.

03 Disabled Toilet



Patients will pull the cord in urgent need of assistance when using the toilet. The number of the location will be displayed through nurse's pager and display monitor. And also, it provides visual and audible notification through the corridor light.

REPEATER / DATA TRANSCEIVER

Wireless Calling System

Wireless Direct Paging System

Wireless Nurse Call System


Wireless Guest Paging System

Wireless Truck Driver Paging System

Wireless Security System

SYSCALL Software

Repeater / Data Transceiver



REPEATER

PRODUCT DESCRIPTION

MODEL SRT-8200

Enhance working range in order to receive all signals



COMPATIBLE PRODUCTS



Wireless Calling System Wireless Direct Paging System Wireless Guest Paging System (From version A105)

SPECIFICATION

Dimension	Weight
W159 x L110 x H23mm	150g
Color	Display
Black	FND Red color (7 segments)
Frequency	Memory Capacity
FSK/433.42MHz	Register up to 450 call bells



DATA TRANSCEIVER

PRODUCT DESCRIPTION

MODEL SRT-8200_PC

Data transceiver for software



COMPATIBLE PRODUCTS



Monitoring Software Server Paging Software Bespoke Software

SPECIFICATION

Dimension	Weight
W159 x L110 x H23mm	150g
Color	Display
Black	FND Red color (7 segments)
Frequency	Memory Capacity
FSK/433.42MHz	Register up to 450 call bells

